



INSTRUCTIONS: PLEASE ATTACH THIS SHEET TO THE BILL-OF-LADING FOR EACH SHIPMENT.

CONDEA VISTA EMERGENCY RESPONSE INFORMATION

ALFOL® 68 ALCOHOL

PROPER SHIPPING DESCRIPTION

This product is regulated as a hazardous material according to the Department of Transportation in bulk quantities (greater than 119 gallons per package) only.

PROPER SHIPPING NAME: Alcohols, n.o.s. (Hexanol, Octanol)

HAZARD CLASS: Combustible liquid

IDENTIFICATION NUMBER: UN 1987

PACKING GROUP: III

ADDITIONAL INFORMATION: Marine Pollutant (Octanol)

FOR EMERGENCY ASSISTANCE, CALL CHEMTREC 1(800)424-9300 OR CONDEA VISTA 1(337)494-5142

POTENTIAL HAZARDS

FIRE OR EXPLOSION

COMBUSTIBLE: May be ignited by heat, sparks or flames. Vapors may travel to source of ignition and flash back. Vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard. Container may explode when heated.

HEALTH HAZARDS

Inhalation or contact with material may irritate or burn skin and eyes. Fire may produce irritating or toxic gases. Vapors may cause dizziness or suffocation. Runoff from fire control may cause pollution.

PUBLIC SAFETY

Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

PROTECTIVE CLOTHING

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

EVACUATION

Large Spill: Consider initial downwind evacuation for at least 300 meters (1000 feet)

Fire: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

EMERGENCY RESPONSE

FIRE

CAUTION: Use of water spray when fighting fire may be inefficient.

Small Fires: Dry chemical, CO₂, water spray or alcohol-resistant form.

Large Fires: Water spray, fog or alcohol-resistant foam. Do not use straight streams. Move containers from fire area if you can do it without risk.

Fire Involving Tanks or Car/Trailer Loads: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from the ends of tanks. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.



INSTRUCTIONS: PLEASE ATTACH THIS SHEET TO THE BILL-OF-LADING FOR EACH SHIPMENT.

CONDEA VISTA EMERGENCY RESPONSE INFORMATION

ALFOL® 68 ALCOHOL

SPILL OR LEAK

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean non-sparking tools to collect absorbed material.

Large Spills: Dike far ahead of liquid spill for later disposal. Water spray may reduce vapor; but may not prevent ignition in closed spaces.

FIRST AID

Move victim to fresh air. Call emergency medical care. Apply artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes. Wash skin with soap and water. Keep victim warm and quiet. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**TABLE OF INITIAL ISOLATION AND PROTECTIVE ACTION DISTANCES
 USE THIS TABLE WHEN THE MATERIAL IS NOT ON FIRE**

SMALL SPILLS (Leak or spill from a small package or small leak from a large package.)		LARGE SPILLS (Leak or spill from a large package or spill from many small packages.)	
First ISOLATE in all directions (Feet)	Then, PROTECT those persons in the DOWNWIND direction (Miles)	First ISOLATE in all directions (Feet)	Then, PROTECT those persons in the DOWNWIND direction (Miles)
N/A	N/A	N/A	N/A

ADDITIONAL INFORMATION

If discarded in its purchased form, this product is not a RCRA hazardous waste. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, and mixtures may change the classification.

THIS INFORMATION IS PROVIDED TO COMPLY WITH THE REQUIREMENTS OF 49 CFR 172.602. FOR ADDITIONAL PRODUCT INFORMATION, PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET (MSDS).

SOURCE

Guide 127, 1996 North American Emergency Response Guidebook